Notice of Allowability	Application No.	Applicant(s)
	10/735,444	BERGER, GERD
	Examiner	Art Unit
	J. Casimer Jacyna	3751
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the disclosure of 2/12/2004.		
2. The allowed claim(s) is/are <u>1-10</u> .		
3. The drawings filed on 12 February 2003 are accepted by the Examiner.		
 4.		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 02122004 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendm	e

Page 2

1. The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:

As noted on the foreign priority document adjacent "Anmeltag" and on the separately filed paper titled "REQUEST FOR GRANT OF PRIORITY DATE" submitted 12/12/2003, the filing date of the priority German application is 13 December 2002. However, the declaration incorrectly lists 13 December 2001 as the priority date. Please note that 12/13/2001 is two year prior to the U.S. filing and is invalid as a priority date under 35 USC 119.

- 2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Lohde et al., and Keane teach other fluid actuated piston valves with a solenoid actuated pilot vent valve.
- 3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In claim 1,

Part b), line 1: "1-" has been deleted.

4. The following is an examiner's statement of reasons for allowance: The prior art of record does not teach a fluid control valve that includes a valve housing with an inlet Art Unit: 3751

and an outlet on opposed sides of the housing so that the inlet to outlet flow direction is parallel to a longitudinal axis of the housing, a valve flange on a displaceable piston that moves in a direction that is not parallel to the longitudinal axis of the housing and the direction of fluid flow, a control volume behind the piston that communicates with the fluid inlet and can vent to the fluid outlet through an electromagnetic pilot valve wherein the pilot valve is located on the same side of the housing as the fluid outlet.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. Casimer Jacyna whose telephone number is 571-272-4889. The examiner can normally be reached on Wed. thru Fri. 9AM-7PM, Mon. 7AM-1PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on 703-272-4835. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/735,444

Art Unit: 3751

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner

Art Unit 3751

JCJ